


 **BLACK & DECKER®**

**POWER TOOLS CATALOG**  
1993-94



## 79-034 WORKMATE® 400 WORK CENTER



### Specifications

- 32 5/8" bench height
- 24" sawhorse height
- Clamping:
  - 0-8 3/8" parallel vise
  - 0-9 3/8" diagonal vise
  - 19" (max) parallel peg
  - 30" (max) diagonal peg
  - 0-2 5/8" vertical clamping
- 29"L x 13 3/16"W surface

### Features and Benefits

- Front jaws swing up for vertical clamping
- Portable—folds for storage and easy carrying
- Dual heights for use as a work bench, bench tool stand, vise or sawhorse
- V-grooves in jaws grip pipe, tubing or dowels for horizontal or vertical clamping
- Swivel pegs and vise jaws hold odd shapes
- Steel construction holds up to 550 lbs
- Movable wide back jaw provides large work surface

## 79-033 WORKMATE® 300 WORK CENTER



### Specifications

- 30 3/8" bench height
- 23 1/2" sawhorse height
- Clamping:
  - 0-5 1/4" parallel vise
  - 0-5 3/4" diagonal vise
  - 12" (max) parallel peg
  - 29 3/8" (max) diagonal peg
- 29"L x 9 11/16"W surface

### Features and Benefits

- Dual heights for use as a work bench, bench tool stand, vise or sawhorse
- Swivel pegs and vise jaws hold odd shapes
- 29" work surface
- Compact—folds to 7 3/4" for easy storage
- Steel construction holds up to 350 lbs
- Horizontal V-grooves in vise jaws grip a variety of objects
- Portable—folds for storage and easy carrying

## 79-032 WORKMATE® 200 WORK CENTER



### Specifications

- 30 3/8" bench height
- 23 1/4" sawhorse height
- Clamping:
  - 0-5 1/4" parallel vise
  - 0-5 3/4" diagonal vise
  - 12" (max) parallel peg
  - 22 5/8" (max) diagonal peg
- 24"L x 9 11/16"W surface

### Features and Benefits

- Dual heights for use as a work bench, bench tool stand, vise or sawhorse
- Swivel pegs and vise jaws hold odd shapes
- 24" work surface
- Compact—folds to 7 3/4" for easy storage
- Steel construction holds up to 350 lbs
- Horizontal V-grooves in vise jaws grip a variety of objects
- Portable—folds for storage and easy carrying

## 79-028 WORKMATE® 100 WORK CENTER



### Specifications

- 30" bench/sawhorse height
- Clamping:
  - 0-4 3/4" parallel vise
  - 0-5 1/4" diagonal vise
  - 10 3/4" (max) parallel peg
  - 22 1/2" (max) diagonal peg
- 24"L x 9"W surface


### Features and Benefits

- Versatile and lightweight, easy to carry and set up
- 24" work surface
- Compact—folds to 6 3/4" wide for easy storage
- Clamping vise jaws angle
- Clamping vise jaws open up to 4 3/4"
- Steel construction holds up to 350 lbs

**79-010 WORKMATE® SWIVEL PEGS**

**Features and Benefits**


- Added versatility in holding objects
- Can replace lost pegs from Workmate® Work Centers
- Includes 2 swivel pegs



**79-018 WORKMATE® HORIZONTAL CLAMP**

**Features and Benefits**


- Use with Workmate® Work Center swivel peg holes or any holes 13/16" diameter
- Extra holding pressure and capacity
- Large work surface for extra clamping pressure and capacity



**79-016 WORKMATE® VERTICAL CLAMPS**

**Features and Benefits**

- Fits holes in Workmate® Work Center top or any other surface with 13/16" holes
- Rotates 360°, adjusts up to 3/4" thickness
- 100 lbs clamping force
- Does not mar work surface
- Includes 2 clamps



Cat. No.	Bench Height	Sawhorse Height	Workmate				Vertical Clamping	Weight Support	Work Surface
			Parallel Vise Clamping	Diagonal Vise Clamping	Parallel Peg Clamping	Diagonal Peg Clamping			
79-034	32 5/8"	24"	0-8 3/8"	0-9 3/8"	19"	30"	0-2 5/8"	550 lbs	29"L x 13 3/16"W
79-033	30 3/8"	23 1/2"	0-5 1/4"	0-5 3/4"	12"	29 3/8"	NA	350 lbs	29"L x 9 11/16"W
79-032	30 3/8"	23 1/4"	0-5 1/4"	0-5 3/4"	12"	22 5/8"	NA	350 lbs	24"L x 9 11/16"W
79-028	30"	30"	0-4 3/4"	0-5 1/4"	10 3/4"	22 1/2"	NA	350 lbs	24"L x 9"W

